



# SAVVY | 8

SHREWD . PRACTICAL . JUST MAKES GOOD SENSE



USER MANUAL

EN



SAVVY | 8

SHREWD . PRACTICAL . JUST MAKES GOOD SENSE



---

*Learn more about your Savvy 8 Scooter today...*

# Contents

Contents.....	4
1 Welcome.....	6
2 Electromagnetic Interference (EMI).....	7
3 Legal.....	8
4 Safety.....	9
4.1 Anti-Tip Wheels.....	9
4.2 Safe Inclines.....	10
5 Introduction.....	11
6 Your Savvy 8.....	12
6.1 Intended Use.....	12
6.2 Unintentional Movement.....	13
7 Digital Tiller Guide.....	14
8 Operating Your Savvy.....	15
8.1 Keys & Fobs.....	15
8.2 Seat Adjustments.....	16
8.3 Tiller Adjustments.....	17
8.4 Steering.....	18
8.5 Acceleration & Braking.....	19
8.5.1 Speed Controls.....	19
8.5.2 Freewheel Function.....	20
8.5.3 Reversing.....	21
8.6 Ignition.....	22
8.7 Digital LCD Display.....	23
8.8 Odometer.....	24
8.9 Indicators.....	24
8.10 Hazard Lights.....	24
8.11 Horn.....	24
8.12 Charge Port.....	25
9 USB Charging & Audio Player.....	26
9.1 USB Charge Port.....	26
9.2 Bluetooth Pairing.....	27
10 Maintenance.....	28
10.1 Battery Care.....	28
10.2 Tyre Pressures.....	29
10.3 Cleaning & Maintenance.....	30

10.3.1	Rubber Mats .....	30	13	Servicing.....	34
10.3.2	Paintwork.....	30	14	Notes.....	37
11	Warranty.....	31			
12	Specifications.....	32			
12.1	Technical Specification.....	32			
12.2	Sizes & Weights .....	33			

# 1 Welcome

Congratulations on purchasing your Scooterpac Savvy 8. With regular maintenance and proper operation your Savvy 8 will give you many years and countless miles of rewarding experiences. This manual contains the information that you and your authorised Scooterpac dealer will need to keep your Savvy 8 in good working order.

If you have any questions, please contact the Scooterpac dealer that supplied your Savvy 8 and they will be happy to help you.

Please fully charge your scooter, at least once a week to maintain battery life & maximise performance. Even when the scooter isn't in use.

This Savvy 8 was originally supplied by:

Dealer Name \_\_\_\_\_

Address 1 \_\_\_\_\_

Address 2 \_\_\_\_\_

Town/City \_\_\_\_\_

Postcode \_\_\_\_\_

Phone Number \_\_\_\_\_

E-mail Address \_\_\_\_\_

Website \_\_\_\_\_

## 2 Electromagnetic Interference (EMI)

This motorized scooter has an immunity of 20V/m which should protect it from Electromagnetic Interference from Radio Wave Sources. These EM waves are invisible and their strength increases as one approaches the source. All electrical conductors act as antennas to the EM signals and to varying degrees, all power wheelchairs and scooters are susceptible to electromagnetic interference. This EMI could result in unintentional movement and or erratic control of the vehicle. Motorized scooters may be susceptible to EMI emitted from sources such as radio and TV stations, amateur radio transmitters, two-way radios and mobile phones. The interference can cause the scooters brake to release or move by itself.

Each motorized scooter can resist EMI up to a certain intensity called its “immunity level.” The higher this level the greater the protection. Current technology is capable of achieving at least 20V/m immunity level which will provide suitable protection from the more common sources of radiated EMI.

Because EM energy rapidly becomes more intense as one moves closer to the source the EM fields from hand-held radio wave sources are of special concern. It is possible to bring high levels of EM energy very close to the scooter control system while using these devices.

### **WARNING**

Do not operate hand-held personal communication devices such as two-way/CB radios or mobile phones while the scooter is turned on.

### **3 Legal**

The Scooterpac Savvy 8 is designed to be operated by a single person, in accordance with the legal requirements for operating a Class 3 invalid carriage in the jurisdiction in which it was sold. Operating the vehicle outside of these limitations may invalidate your warranty.



## 4 Safety

The Savvy 8 should only be operated by a single person, who is not suffering from any condition which impairs vision, hearing, eyesight or the ability to react to sudden changes in surroundings. If you suffer from any of the above, it is recommended that you seek advice from your doctor before operating the Savvy 8


- Only drive over obstacles and up kerbs at the lowest point and at right angles.
- Sudden turns or sudden changes in speed are not recommended.
- Avoid steep surfaces if there is a risk of skidding due to icy or wet surfaces.
- Avoid going over loose surfaces such as gravel.
- Always tackle gradients straight i.e. do not drive in zigzags.
- Do not turn the Savvy 8 around on inclined surfaces.
- Do not drive the Savvy 8 down steps.
- Always drive forwards down gradients, kerbs and other obstacles.

### 4.1 Anti-Tip Wheels

The Savvy 8 is fitted with rear anti-tip wheels. These are an emergency failsafe that should never be relied upon in normal operation. These are designed to stop the Savvy tipping backwards on a steep incline. Should you see any damage to the wheels, you should cease using the scooter and take it to a certified mechanic who can ensure that the chassis has not been damaged.

## 4.2 Safe Inclines

The Savvy 8 can climb inclines of up to 15° without danger. On this 15° incline, the Savvy 8 can stop, brake and turn. It is possible to attempt steeper inclines, but we strongly suggest that you do not. To reduce the possibility of tipping backwards on inclines, lessen the load on the back of the scooter by sliding the seat forward as much as possible and leaning forward.



*Figure 1 – Recommended gradients*

## 5 Introduction

Your Savvy 8 is a high-tech piece of mobility equipment that will give you years of faithful service and enjoyment. This manual introduces you to the operation, maintenance and care of your Savvy. If you have any questions, or are unsure of anything, please contact the dealer your originally purchased the Savvy from. All maintenance work should be carried out either by an authorised Scooterpac dealer or by a certified mechanic.

## 6 Your Savvy 8

### 6.1 Intended Use

The Savvy 8 is designed for use on smooth pavement, in accordance with local laws. The Savvy 8 can be used in wet and windy weather, but discretion should be used when planning a journey in adverse weather conditions. If there is more than 1cm of water standing on the pavement, extra care should be taken as the scooter may have reduced ability to grip and steer. Under no circumstances should more than one person operate the Savvy 8 at one time.

## 6.2 Unintentional Movement

Before operating, the Savvy 8 should always be stationary. When the Savvy 8 is switched on, it will remain stationary until one of the following:

1. The forward or reverse lever is pulled/pushed.
2. The freewheel function is engaged.

Do not attempt to operate the scooter when standing beside.

If the scooter is moving an emergency stop can be performed by releasing the throttle levers and firmly pulling the hand-operated brake lever on the right-hand side of the tiller.

## 7 Digital Tiller Guide



*Figure 2 – Digital Tiller guide*

## 8 Operating Your Savvy

### 8.1 Keys & Fobs

The Savvy 8 is delivered with the below keys:



**Ignition  
Keys  
x2**

## 8.2 Seat Adjustments

It is important to adjust the seat into a good position that allows you to comfortably operate all the scooter's controls.

### Forward/Backwards

To move the seat forwards or backwards, grasp the Seat Slider lever on the right-hand side underneath the seat whilst sitting down. To move forward, pull on the tiller handlebars. To move backwards, push firmly against the floor with your feet.

### Swivel Adjustment

To enable easy access, the seat can be swivelled to a 90-degree angle. To change the angle of the seat, sit on the seat, pull the Seat Rotation lever towards the front of the scooter and turn the seat anti-clockwise.

### Backrest Adjustment

The pitch of the seat can be changed by the lifting the Backrest lever located on the right-hand side of the seat when seated.



**Figure 3 – Seat Adjustments**



## 8.3 Tiller Adjustments

The angle of the tiller can be adjusted by pressing the lever down on the front of the tiller.

The entire tiller assembly can then pitch forwards and backwards to find a comfortable driving position. Release the lever to secure your preferred position. Be aware that lowering the tiller too far may make it difficult to steer.

Try to find a position that allows a good view of the digital control panel and allows full left and right movement of the steering.



*Figure 4 – Tiller Adjustment*

## 8.4 Steering

The Savvy 8 is fitted with a mechanical steering column that ideally should be operated with both hands. When the Savvy is stationary the steering may feel a little heavy or stiff. Steering will become lighter whilst the scooter is in motion.

For the most accurate steering the Savvy 8 should be moving forwards or backwards at a controllable speed. Gently push one side of the tiller away from you, allowing the Savvy 8 to begin turning. Make sure that you are continually observing your surroundings during any manoeuvre.

## 8.5 Acceleration & Braking

### 8.5.1 Speed Controls

The Savvy 8 has two methods for controlling speed; Low and High Modes, Max Speed Limiter and the Throttle Levers.

#### 8.5.1.1 Low and High Speed Modes

The Low (“1”) and High (“2”) speed modes are controlled by the rocker switch located on the right-hand side of the tiller. The two settings place the scooter in either a 4mph or 8mph mode. These modes correspond to the “pavement” and “road” speeds that are determined by the UK government. “1” is 4mph and for pavement use. “2” setting is for 8mph and for road use only.

When using the pavement in the UK, the 4mph mode should be engaged to prevent the Savvy 4 from moving too fast. On the road the 8mph setting should be engaged.

#### 8.5.1.2 Max Speed Limiter

The tiller’s centre dial controls the speed at which you would like the scooter to travel or matching your speed to someone walking. This function is particularly useful when operating the scooter in tight areas.

Turn the dial clockwise to go faster and counterclockwise to move slowly.



**Figure 5 – H/L Speed Mode Control**



**Figure 6 – Max Speed Limiter**

### 8.5.1.3 Throttle Levers

Acceleration and deceleration are controlled by the black levers on the tiller. They are designed to prevent both the forward and reverse functions from being activated at the same time.

To move forward, gently squeeze the right lever. The Savvy 8 will accelerate up to the maximum allowable speed set by the speed controls. To slow down or stop, release the accelerator and the scooter will stop. In an emergency the handbrake can be applied by pulling the brake handle located on the right of the handlebars.

Reverse mode can be activated by pulling the left lever when the scooter is stationary. For more information on reverse mode please see 8.5.3 Reversing.

### 8.5.2 Freewheel Function

You may need to move the Savvy 8 without engaging the motor. This mode can be enabled by pushing the red freewheel lever up. This is located under the rear right of the scooter.

To disable the freewheel function and engage the motor, pull down the red lever.

**TOP TIP – To re-engage the motor you may need to turn the ignition off and on.**

For your own safety, only operate this function when on a flat surface. When in freewheel mode care must be taken to manoeuvre the scooter safely as there is no brake function.

**TOP TIP – When enabled, the scooter will continue to roll if pushed.**



**Figure 7 – Freewheel lever**

### 8.5.3 Reversing

To engage reverse mode, ensure that the Savvy 8 is stationary and on even ground. Before moving, check that the area is clear of obstructions and your planned path is of adequate size.

Gently pull the reversing lever, and the Savvy 8 will begin to slowly move backwards.

## 8.6 Ignition

The Savvy 8 will start once the ignition key is inserted into the housing on the tiller and turned clockwise (figure 8).



*Figure 8 – Tiller mounted key slot*

## 8.7 Digital LCD Display

The Savvy 8 is powered on and ready to be used when the digital dashboard displays visual data (figure 9).





*Figure 9 – Digital LCD Display*

## 8.8 Odometer


The displayed miles on the Digital LCD Display are cumulative and represent the total distance the Savvy 8 has travelled.

## 8.9 Indicators


The indicators are bright LEDs used for easy visibility, in an orange colour.

To switch them on press the  button once before initiating a manoeuvre. Once the turn is complete and it is safe to do so, press the  again to turn off the indicator.

## 8.10 Hazard Lights

In an emergency both indicators can be engaged at once, by pressing the  button. This will leave both indicators flashing front and rear, until the button is pressed again.

## 8.11 Horn

The electric horn is activated by pressing the  button on the tiller top. The horn should only be used in compliance with the Highway Code. The horn will only sound if the ignition is switched on.



## 8.12 Charge Port

Charging the Savvy 8 can be completed by using the charge port on the tiller.

The port is located on the tiller column below the handlebars.

To charge the scooter, simply connect the supplied charge cable to the port.

When the Savvy 8 is in charge mode it will not enter drive mode.

**TOP TIP – For best practice, please ensure to charge your batteries after each use.**

**If there are long periods where you decide not to use your scooter, we recommend that batteries are charged at least once a week.**

**This will ensure they remain healthy and are ready for regular usage.**



*Figure 10 – Tiller mounted charge port*

## 9 USB Charging & Audio Player

### 9.1 USB Charge Port

The Savvy 8 is equipped with one USB charging port located in the centre of the tiller column.

The USB port is designed to charge mobile phones and other small devices. The port delivers a charge of 1.5amps.



*Figure 11 – USB charge port*

## 9.2 Bluetooth Pairing

To pair your mobile device with the audio player:

1. Ensure there are no USB drives plugged into the USB port.
2. Turn on the Savvy 8's ignition.
3. Navigate to your mobile phone's Bluetooth settings and connect to the device named, **'bao jie'**.
4. Once connected, the scooter will play an audible confirmation tone. The blue LED light will become solid.
5. Any audio played from the mobile device will now play through the scooter's speaker.

### Bluetooth Controls

- a) Back
- b) Play/Pause
- c) Forward



*Figure 12 – Bluetooth Player*

# 10 Maintenance

## 10.1 Battery Care

The battery assembly in your Savvy 8 should not require any maintenance on a day-to-day basis, however access may be required. The batteries are located under the seat, protected by a plastic shroud – secured by one thumb screw.

To access the batteries, the seat must be removed. The seat can then be removed by pulling the black swivel lever towards the front of the scooter, and then twisting left and right whilst lifting.

Once the maintenance has been completed, ensure that the thumb screw is used to refit the battery cover securely, without crushing or bending any wires. Replace the seat ensuring its locked in place and test the fitting for tightness to avoid danger to any user.

## 10.2 Tyre Pressures

The tyres on the Savvy 8 are designed to give a good balance between comfort and energy efficiency. Incorrectly inflated tyres may lead to poor handling, reduced range and increased wear. The tyres should always have at least 3mm of tread to provide adequate grip on the road surface. If the tyres become worn, they should be replaced before the Savvy 8 is used again.

Front tyre pressures: 25psi

Rear tyre pressures: 25psi

## 10.3 Cleaning & Maintenance

### 10.3.1 Rubber Mats

The rubber mat should be cleaned using a vacuum cleaner with an upholstery brush attached. For stains, a mild mixture of washing up liquid and water may be used, ensuring that the area is thoroughly dried afterwards.

**TOP TIP – Please do not use bleach.**

### 10.3.2 Paintwork

To care for the paint, regularly wash the Savvy 8 using soft cloths and a mild automotive detergent.

Apply automotive polish to achieve a high-shine finish. It is highly recommended that polish is applied in areas where the paintwork may be exposed to adverse weather conditions.

**TOP TIP – Never use boiling water to clean the Savvy 8.**

## 11 Warranty

The Savvy 8 comes with a 12 month manufacturer's warranty when purchased new from an authorised Scooterpac dealer. During the warranty period any part which becomes defective due to faulty workmanship or materials will be repaired by the Scooterpac dealer from which it was purchased. If a repair cannot be completed a replacement part will be fitted.

If a manufacturing defect is found, it must be reported in writing to the Scooterpac dealer from which the Savvy 8 was purchased from within 28 days of purchase.

Items considered to have a limited lifespan including batteries and tyres will not be covered if they are deemed to have undergone excessive wear and tear or misuse.

The warranty does not cover damage arising from improper use of the product, after-market modifications or accidental damage. The warranty is non-transferable.

The warranty does not extend to the consequential costs resulting from fault clearance, freight and travel costs, loss of earnings, expenses, etc.

The manufacturer will not accept responsibility for any damage or injury caused by misuse or non-observation of the instructions set out in this user manual.

## 12 Specifications

### 12.1 Technical Specification

<b>Motor</b>	Rear Wheel Drive Sealed Transaxle 600W 24 Volt DC	<b>Batteries</b>	Dual 12V 45Ah
<b>Dashboard</b>	Digital Dashboard Display 5-button Tiller Max Speed Dial Speed Mode Dial	<b>Tyres</b>	Pneumatic 12"



## 12.2 Sizes & Weights

Class	3 (Invalid Carriage)
Speed Modes <sup>1</sup>	4mph / 8mph
Range <sup>2</sup>	28 miles
Brakes	Electromagnetic
Weight Capacity	180kg / 28.3 stone
Ground Clearance <sup>3,4</sup>	100mm (unloaded)
Length <sup>3</sup>	1325mm
Width <sup>3</sup>	652mm
Height <sup>3</sup>	1220mm
Maximum Slope <sup>4</sup>	15 degrees
Turning Radius	1530mm / 60.2 inches

<sup>1</sup> International Speeds: Available dependant on jurisdiction and local legislation.

<sup>2</sup> Range may vary with battery charge/condition/option, terrain type, tyre condition and vehicle loading.

<sup>3</sup> Due to manufacturing tolerances and continuous product improvement this specification can be subject to variance of +/-3%.

<sup>4</sup> Varies with user weight, terrain type, battery charge, battery condition, tyre condition.

## 13 Servicing

In order to ensure continued safe operation, the Savvy 8 must be serviced every 12 months. We recommend recording the servicing dates and locations on the sheets below. Always have your Savvy 8 serviced at an authorised Scooterpac dealer, using original Scooterpac parts.

<b>Year</b>	<b>Service</b>		<b>Next Service Due</b>
Year One	Dealer Name		
	Technician Name		
	Date of service		
	Mileage		
	Notes		
	Signed		

Year	Service		Next Service Due
Year Two	Dealer Name		
	Technician Name		
	Date of service		
	Mileage		
	Notes		
	Signed		
Year	Service		Next Service Due
Year Three	Dealer Name		
	Technician Name		
	Date of service		
	Mileage		
	Notes		
	Signed		

<b>Year</b>	<b>Service</b>		<b>Next Service Due</b>
Year Four	Dealer Name		
	Technician Name		
	Date of service		
	Mileage		
	Notes		
	Signed		
<b>Year</b>	<b>Service</b>		<b>Next Service Due</b>
Year Five	Dealer Name		
	Technician Name		
	Date of service		
	Mileage		
	Notes		
	Signed		









Scooterpac  
Brighten your day

Tel: 0330 124 1733 Web: [www.scooterpac.com](http://www.scooterpac.com)